

RECEIVED
CENTRAL FAX CENTER

OCT 03 2007

Appl. No. 10/530,096
Amdt. Dated October 3, 2007
Reply to Office Action of July 3, 2007

Amendments to the Claims

This listing will replace all prior versions, and listings, of the claims in the application:

Listing of Claims:

Claim 1 (Cancelled)

Claim 2 (Withdrawn): A sealing material in combination with an automobile engine cam cover wherein the sealing material seals the automobile engine cam cover and comprises a cured product of a composition comprising (A) an acrylic polymer having at least one alkenyl group capable of undergoing hydrosilylation reaction, (B) a hydrosilyl group-containing compound and (C) a hydrosilylation catalyst as essential components.

Claim 3 (Withdrawn): A sealing material according to Claim 2, where a liquid acrylic polymer having a number average molecular weight M_n of 500 or more and a molecular weight distribution (M_w/M_n) of 1.8 or less is used as component (A) of the composition.

Claim 4 (Withdrawn): A sealing material according to Claim 2, where the cured product of the composition has a Duro A hardness of 45 or less.

Appl. No. 10/530,096
Amdt. Dated October 3, 2007
Reply to Office Action of July 3, 2007

Claim 5 (Withdrawn): A sealing material according to Claim 2, in combination with a resin-made cam cover.

Claim 6 (Withdrawn): An automobile engine cam cover sealed by a sealing material for cam covers according to Claim 2.

Claim 7 (Withdrawn): A sealing material in combination with an automobile engine oil pan wherein the sealing material seals the automobile engine oil pan and comprises a cured product of a composition comprising (A) an acrylic polymer having at least one alkenyl group capable of undergoing hydrosilylation reaction, (B) a hydrosilyl group-containing compound and (C) a hydrosilylation catalyst as essential components.

Claim 8 (Withdrawn): A sealing material according to Claim 7, wherein a liquid acrylic polymer having a number average molecular weight M_n of 500 or more and a molecular weight distribution (M_w/M_n) of 1.8 or less is used as component (A) of the composition.

Claim 9 (Withdrawn): A sealing material to Claim 7, wherein the cured product of the composition has a Duro A hardness of 45 or less (according to JIS K6253).

Appl. No. 10/530,096
Amdt. Dated October 3, 2007
Reply to Office Action of July 3, 2007

Claim 10 (Withdrawn): Automobile engine oil pan sealed by a sealing material for oil pans which comprises a cured product of a composition comprising (A) an acrylic polymer having at least one alkenyl group capable of undergoing hydrosilylation reaction, (B) a hydrosilyl group-containing compound and (C) a hydrosilylation catalyst as essential components.

Claims 11-14 (Cancelled):

Claim 15 (Previously presented): A sealing material in combination with an automobile wire harness wherein the sealing material seals the automobile wire harness and comprises a cured product of a composition comprising (A) an acrylic polymer having at least one alkenyl group capable of undergoing hydrosilylation reaction, (B) a hydrosilyl group-containing compound and (C) a hydrosilylation catalyst as essential components.

Claim 16 (Currently amended): ~~A sealing material~~ The combination according to Claim 15, wherein a liquid acrylic polymer having a number average molecular weight Mn of 500 or more and a molecular weight distribution (Mw/Mn) of 1.8 or less is used as component (A) of the composition.

Claim 17 (Currently amended): ~~A sealing material~~ The combination according to Claim 15, wherein the cured product of the composition has a Duro A hardness of 50 or less (according to JIS K6253).

Appl. No. 10/530,096
Amdt. Dated October 3, 2007
Reply to Office Action of July 3, 2007

Claim 18 (Currently amended): ~~A sealing material~~ The combination according to Claim 15, wherein not more than 100 parts by weight of a reinforcing agent or a filler is added to the composition on the basis of 100 parts by weight of sum total of components (A), (B) and (C).

Claim 19 (Canceled)

Claims 20-31 (Cancelled)

Claim 32 (Currently amended): ~~A sealing material~~ The combination according to Claim 17, wherein not more than 100 parts by weight of a reinforcing agent or a filler is added to the composition on the basis of 100 parts by weight of sum total of components (A), (B) and (C).

Claim 33 (Cancelled)

Claim 34 (New): The combination according to Claim 15, wherein automobile wiring harness is combined with the cured product of the composition and the cured product of the composition has a tight adhesiveness to electrical wires, a low hardness, and a low insertion resistance to electrical wires.